



**Server**   **Users/Groups**   **Sessions**   **Group Chat**   **Plugins**

**Server Manager**   **Server Settings**   **Media Services**

Server Information

**System Properties**

Language and Time

Clustering

Cache Summary

Database

Logs

Email Settings



Security Audit Viewer

## System Properties

Below is a list of the system properties. Values for password sensitive fields are hidden. Long property names and values are clipped. Hold your mouse over the property name to see the full value or to see both the full name and value, click the edit icon next to the property.

### System Properties

Property Name	Property Value	Edit	Delete
admin.authorizedJIDs	chaim@stalingrad.desknet.sims		
ldap.adminDN	cn=admin,dc=desknet,dc=sims		
ldap.adminPassword	simsLDAP		
ldap.autoFollowAliasReferrals	true		
ldap.autoFollowReferrals	false		
ldap.baseDN	ou=People,dc=desknet,dc=sims		
ldap.connectionPoolEnabled	true		
ldap.debugEnabled	false		
ldap.emailField	mail		
ldap.groupDescriptionField	description		
ldap.groupMemberField	member		
ldap.groupNameField	cn		
ldap.host	localhost		
ldap.ldapDebugEnabled	false		
ldap.nameField	cn		
ldap.override.avatar	false		
ldap.port	389		
ldap.posixMode	false		
ldap.sslEnabled	false		
ldap.usernameField	uid		

Property Name	Property Value	Edit	Delete
	<pre> &lt;N&gt; &lt;GIVEN&gt;{cn}&lt;/GIVEN&gt; &lt;/N&gt; &lt;EMAIL&gt; &lt;INTERNET/&gt; &lt;USERID&gt;{mail}&lt;/USERID&gt; &lt;/EMAIL&gt; &lt;FN&gt;{displayName}&lt;/FN&gt; &lt;NICKNAME&gt;{uid}&lt;/NICKNAME&gt; &lt;PHOTO&gt; &lt;TYPE&gt;image/jpeg&lt;/TYPE&gt; &lt;BINVAL&gt;{jpegPhoto}&lt;/BINVAL&gt; &lt;/PHOTO&gt; &lt;ADR&gt; &lt;HOME/&gt; &lt;STREET&gt;{homePostalAddress}&lt;/STREET&gt; &lt;/ADR&gt; &lt;ADR&gt; &lt;WORK/&gt; &lt;STREET&gt;{postalAddress}&lt;/STREET&gt; &lt;LOCALITY&gt;{}&lt;/LOCALITY&gt; &lt;REGION&gt;{st}&lt;/REGION&gt; &lt;PCODE&gt;{postalCode}&lt;/PCODE&gt; &lt;/ADR&gt; &lt;TEL&gt; &lt;HOME/&gt; &lt;VOICE/&gt; &lt;NUMBER&gt;{homePhone}&lt;/NUMBER&gt; &lt;/TEL&gt; &lt;TEL&gt; &lt;WORK/&gt; &lt;VOICE/&gt; &lt;NUMBER&gt;{telephoneNumber}&lt;/NUMBER&gt; &lt;/TEL&gt; &lt;TEL&gt; &lt;WORK/&gt; &lt;CELL/&gt; &lt;NUMBER&gt;{mobile}&lt;/NUMBER&gt; &lt;/TEL&gt; &lt;TEL&gt; &lt;WORK/&gt; &lt;PAGER/&gt; &lt;NUMBER&gt;{pager}&lt;/NUMBER&gt; &lt;/TEL&gt; &lt;TITLE&gt;{title}&lt;/TITLE&gt; &lt;ORG&gt; &lt;ORGUNIT&gt;{departmentNumber}&lt;/ORGUNIT&gt; &lt;/ORG&gt; &lt;/vCard&gt;]]&gt;&gt;&lt;![CDATA[ &lt;vCard xmlns="vcard-temp"&gt; &lt;N&gt; &lt;GIVEN&gt;{cn}&lt;/GIVEN&gt; &lt;/N&gt; &lt;EMAIL&gt; &lt;INTERNET/&gt; &lt;USERID&gt;{mail}&lt;/USERID&gt; &lt;/EMAIL&gt; &lt;FN&gt;{displayName}&lt;/FN&gt; &lt;NICKNAME&gt;{uid}&lt;/NICKNAME&gt; &lt;PHOTO&gt; &lt;TYPE&gt;image/jpeg&lt;/TYPE&gt; &lt;BINVAL&gt;{jpegPhoto}&lt;/BINVAL&gt; &lt;/PHOTO&gt; &lt;ADR&gt; &lt;HOME/&gt; &lt;STREET&gt;{homePostalAddress}&lt;/STREET&gt; &lt;/ADR&gt; &lt;ADR&gt; &lt;WORK/&gt; &lt;STREET&gt;{postalAddress}&lt;/STREET&gt; &lt;LOCALITY&gt;{}&lt;/LOCALITY&gt; &lt;REGION&gt;{st}&lt;/REGION&gt; &lt;PCODE&gt;{postalCode}&lt;/PCODE&gt; &lt;/ADR&gt; &lt;TEL&gt; &lt;HOME/&gt; &lt;VOICE/&gt; </pre>		
ldap.vcard-mapping			

Property Name	Property Value	Edit	Delete
provider.auth.className	org.jivesoftware.openfire.ldap.LdapAuthProvider		
provider.group.className	org.jivesoftware.openfire.ldap.LdapGroupProvider		
provider.user.className	org.jivesoftware.openfire.ldap.LdapUserProvider		
provider.vcard.className	org.jivesoftware.openfire.ldap.LdapVCardProvider		
register.inband	true		
register.password	hidden		
update.lastCheck	1239307617797		
xmpp.audit.active	true		
xmpp.audit.days	-1		
xmpp.audit.filesize	10		
xmpp.audit.iq	false		
xmpp.audit.logdir	/usr/share/openfire/logs		
xmpp.audit.logtimeout	120000		
xmpp.audit.message	true		
xmpp.audit.presence	false		
xmpp.audit.totalsize	1000		
xmpp.auth.anonymous	true		
xmpp.client.tls.policy	optional		
xmpp.domain	stalingrad.desknet.sims		
xmpp.server.certificate.accept-selfs	false		
xmpp.server.dialback.enabled	true		
xmpp.server.tls.enabled	true		
xmpp.session.conflict-limit	0		
xmpp.socket.ssl.active	true		

**Add new property**

Property Name:

Property Value:

